



ANJALI EQUIPMENT



Food Preparation



Bulk Cooking



Bakery Equipment



**Refrigeration
Equipment**

KITCHEN EQUIPMENT MANUFACTURING



Counters



Display Counter



Washing Equipments



Food Service

COMMERCIAL KITCHEN ►

& BEKARY EQUIPMENT

Mfrs. Of : Commercial Kitchen Equipment, Deep Freezer, Water Cooler, Bain Marie, Cold Room, Equipment, Stainless Steel Counter Etc



Single Burner Indian Cooking Range

■ Use

Used for cooking first, second & third course dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG / PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Model	Dimension (Inch)	Burner	Pan Support
AECR-001A	24x24x34+6	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons./Hr.	15x15
AECR-001B	24x28x34+6		16x16

Two Burner Indian Cooking Range

■ Use

Used for cooking first, second & third course dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG / PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Model	Dimension (Inch)	Burner	Pan Support
AECR-002A	45x24x34+6	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons./Hr.	15x15
AECR-002B	45x28x34+6		16x16



Three Burner Indian Cooking Range

■ Use

Used for cooking first, second & third course dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG / PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Model	Dimension (Inch)	Burner	Pan Support
AECR -003A	60x24x34+6	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons./Hr.	15x15
AECR -003B	60x28x34+6		16x16

Cooking Range



Four Burner Continental Range

- **Use**
Used for cooking Continental-Italian & Mexican dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG / PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Model	Dimension (Inch)	Burner	Pan Support
AECR -004A	30x30x34+6	G-9, 40000 BTU/Hr.	12x12
AECR -004B	36x36x34+6	0.9 Kg. Gas Cons./Hr.	14x14

Dosa / Hot Plate

- **Use**
Used for cooking Dosa, Uttapam, Paratha & Pancakes due to the direct contact of the food with the frying surface in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG / PNG Gas as per requirement.
- 2 Nos. RV Burner & 1 Nos. Pilot Burner
- 15mm Thick Polished MS Cooktop
- At the front panel there is a collector Oil tray

Model	Dimension (Inch)	Burner	Pan Support
AEDP -005A	48x24x34+6	G-9, 40000 BTU/Hr.	48x24
AEDP -005B	48x28x34+6	0.9 Kg. Gas Cons./Hr.	44x24



Chapati Plate with Puffer

- **Use**
Used for Cooking Chapati / Phulka / Roti in the Cookware

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG / PNG Gas as per requirement.
- 2 Nos. RV Burner & 1 Nos. Pilot Burner & 1 Nos. Puffer Burner
- 12mm Thick Polished MS Cooktop
- At the front panel there is a collector Oil tray

Model	Dimension (Inch)	Burner	Pan Support
AECP-006A	48x24x34	V-750, 70000 BTU/Hr.	12x18
AECP-006B	48x28x34	1.58 Kg. Gas Cons./Hr.	12x24





Single Burner Chinese Range

■ Use

Used for all types of cooking: stir-frying, deep-frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG / PNG Gas as per requirement.
- With 2 Nos. High Pressure (T35) & 1 Nos. (G10) Burner
- Perforate 1" Dia S.S. pipe with 3mm Dia Holes for water spray at front
- Individual Control & Pilot Knob
- 1 Nos. 600mm long goose neck type of Swivel faucet mounting on Back Splash

Model	Dimension (Inch)	Burner	Pan Support
AECR-007	36x28x34+14	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons./Hr.	16

Two Burner Chinese Range

■ Use

Used for all types of cooking: stir-frying, deep-frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG / PNG Gas as per requirement.
- With 2 Nos. High Pressure (T35) & 1 Nos. (G9) Burner
- Perforate 1" Dia S.S. pipe with 3mm Dia Holes for water spray at front
- Individual Control & Pilot Knob
- 1 Nos. 500mm long goose neck type of Swivel faucet mounting on Back Splash



Model	Dimension (Inch)	Burner	Pan Support
AECR-008	58x28x34+14	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons./Hr.	16



Chinese Burner Range (2+1) Burner

■ Use

Used for all types of cooking: stir-frying, deep-frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG / PNG Gas as per requirement.
- With 2 Nos. High Pressure (T35) & 1 Nos. (G9) Burner
- Perforate 1" Dia S.S. pipe with 3mm Dia Holes for water spray at front
- Individual Control & Pilot Knob
- 1 Nos. 500mm long goose neck type of Swivel faucet mounting on Back Splash

Model	Dimension (Inch)	Burner	Pan Support
AECR-009	60x30x34+14	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons./Hr.	16

Bulk & Canteen Equipment



Tilting Type Bulk Cooker

■ Use

Boiling of Water, Rice, Pulse & Potato Etc. for bulk cooking at Industrial Canteens, Government or Military Messes & Mid-Day Meals.

■ Specification:

- Made of Stainless Steel included angle framework
- Operate LPG / PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy Duty Valve Fitted at bottom of vessel for draining water or cooked material

Model	Capacity	Burner
AEBC-010A	80-100 Ltrs	G-10, 70000 BTU/Hr. 3.5 Kg. Gas Cons/Hr.
AEBC-010B	100-150 Ltrs	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.
AEBC-010C	150-200 Ltrs	

Tilting Type Brat Pan

■ Use

Used to fry products like vegetable, braising, searing, shallow frying and cooking at Industrial Canteens, Government or Military Messes & Mid-Day meals

■ Specification:

- Made of Stainless Steel included angle framework
- Operate LPG / PNG Gas as per requirement.
- Individual Control & Pilot Knob
- The pan is equipped with a mechanism of lifting & lowering what provides convenient cleaning & service of the pan

Model	Dimension (Inch)	Capacity	Burner
AEBP-011A	36x30x42	50-80 Ltrs	G-10, 70000 BTU/Hr. 3.5 Kg. Gas Cons/Hr.
AEBP-011B	42x36x48	80-150 Ltrs	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.
AEBP-011C	48x36x48	150-200 Ltrs	

general



SS Charcoal Tandoor

■ Use

Used for cooking Tandoori Roti / Naan / Paratha in the cookware

■ Specification:

- Outer Body Made of Stainless Steel & Inner Body made of MS
- Between outer & inner body have 25mm thick tightly glass wool insulation.
- Commercial grade heavy duty 50mm thick Clay pot tandoor
- Available Charcoal Operated & Gas Operated as per requirement

Model	Dimension (Inch)
AECT-012A	24x24x34
AECT-012B	30x30x34
AECT-012C	33x33x34
AECT-012D	36x36x34



Bulk & Canteen Equipment

■ Use

Short-term keeping of the first & second courses in gastronomic containers & their serving to customers

■ Specification:

- Made of Stainless Steel included angle framework
- 5 Nos. (1/1) * 150mm Deep GN Pan with Lid
- The smooth temperature regulation is provided from +30 to 85°C
- The guiding rails with drip tray for element & element clamped 25mm off bottom of tank
- Control panel complete with On/Off Switch, indicator light & Adjustable Thermostat

Model	Burner
AEBM-013A	48"x27"x34"+12"
AEBM-013B	60"x27"x34"+12"
AEBM-013C	72"x27"x34"+12"
AEBM-013D	90"x27"x34"+12"



Hot Bain Marie Counter




Idli Steamer / Dhokla Machine

Model	
AESA-014A	54-100
AESA-014B	108-200



Automatic & Semi Automatic Roti / Chapati Machine



Wall Hood

Box Hood

Kitchen Exhaust Hood

■ Specification:

- Made of Stainless Steel Body with external & internal parts.
- With S.S. removable type baffles & fat filters.
- With removable type S.S. Oil Collection Box
- 100mm High flange collar at top for connection to the exhaust Duct.
- Model over 3 meters are supplied in two pieces with a robust concealed connection for easy assembly.

Model	Size
AEEH-016	L"x30"x20"
AEEH-017	L"x30"/36"x18"

Fast Food Equipment



Electric Fryer Standing

Electric Fryer Counter Top

Item Code	Power (kw)	Capacity (Lt.)	Dimesions (mm)
AEFC-018	2.5x2	6+6	435x400x315
AEFC-019	2.5	4	430x265x335
AEFC-020	3.2	8	314x533x433

Item Code	Power (kw)	Capacity (Lt.)	Dimesions (mm)
AEFS-021A	4x2	6+6	570x460x325
AEFS-021B	3x2	10+10	645x460x390

Gas Fryer

Item Code	Power (kw)	Capacity (Lt.)	Dimesions (mm)
AEGF-022A		5.5	290x520x445
AEGF-022B		5.5	288x430x545
AEGF-022C		17	340x615x630
AEGF-022D		17+17	380x615x630

Waffle Makers

Item Code	Power (kw)
AEWM-023	1.1
AEWM-024	1.1x2



Double



Single

Hot Plate Griddle Electric



AEHP-025

Sandwich Grilled



AESG-027



AESG-028

Toaster



AET-029

Pantry & Fast Food Equipment



Conveyer Toaster

Item Code	Power (kw)	Voltage	Net Weight	Dimesions (mm)
AECT-030A	1.5	220	13 Kg	420x300x480
AECT-030B	2.45	220	16.5 Kg	418x398x480
AECT-030C	2.55	220	17.5 Kg	425x475x480



Electric Salamander

Item Code	Power (kw)	Voltage	Net Weight	Dimesions (mm)
AEES-031A	2	220	16 Kg	570x340x260
AEES-031B	3	220	23 Kg	580x390x390
AEES-031C	4	220	28 Kg	800x450x470

■ **Specification:**

- Constructed in stainless steel to ensure reliability and hygienic.
- The equipments are made with the cooking grade and a flat collecting tray both removable for easy cleaning.



Shawarma Machine

■ **Specification:**

- It is rotary to ensure the banking is even.
- Easy to control and remove the food.

Item Code	Power (kw)	Voltage	Net Weight	Dimesions (Inch)
AESM-033A	6	220	25 Kg	30x24x48
AESM-033B	4	220	31 Kg	36x24x48



Single
(20x22x18)



Double
(20x24x18)



Single Jumbo Stone
(36x30x18)

Pizza Oven (Electric)

■ **Specification:**

- Double temperature controller (Top & Bottom) to ensure banking more quickly and evenly.
- Automatic cut-down to keep the temperature constant.
- Time range 0-60 mins.

Item Code	Power (kw)	Voltage	Net Weight	Temperature Range	Tray Size (mm)	Chamber Size (mm)	Dimesions (mm)
AEPO-034A	3	220	35 Kg	50~300	390x285x40	420x340x195	666x450x440
AEPO-034B	3	220	48 Kg	50~300	490x490x65	520x520x195	766x630x440
AEPO-034C	3	220	55 Kg	50~300	612x413x50	620x520x195	866x630x440

Baking Ovens

Gas Baking Deck Oven



- **Specification:**
 - Each layer can work independently, saving more energy.
 - Fire pipe is made of high quality seamless steel tube.



Item Code	Power (kw)	Voltage	Net Weight	Specification	Tray Size (mm)	Chamber Size (mm)	Dimesions (mm)
AEDO-035A	0.1	220	135 Kg	1 Layer 2 Tray	410x605x35	620x887x420	1330x895x680
AEDO-035B	0.2	220	280 Kg	2 Layer 4 Tray	410x605x35	620x887x420	1330x895x1460
AEDO-035C	0.3	220	410 Kg	3 Layer 6 Tray	410x605x35	620x887x420	1330x895x1735

Electric Baking Deck Oven

- **Specification:**
 - Oven will keep the constant temperature automatically.
 - The Top & Bottom temperature can be set between 0~300°C.



Item Code	Power (kw)	Voltage	Net Weight	Specification	Tray Size (mm)	Chamber Size (mm)	Dimesions (mm)
AEDO-036A	6.8	220	69 Kg	1 Layer 2 Tray	410x605x35	865x655x225	1225x770x530
AEDO-036B	13.6	380	200 Kg	2 Layer 4 Tray	410x605x35	865x655x225	1225x770x1240
AEDO-037	20.4	380	290 Kg	3 Layer 6 Tray	410x605x35	865x655x225	1225x770x1540



Proffer



**AECO-039
Convector Oven**



**AECO-040
Combi Oven**

Item Code	Power (kw)	Specification	Net Weight	Dimesions (mm)
AEP-038A	2.5	1Door/6Trays	22 Kg	480x670x1000
AEP-038B	2.5	1Door/13Trays	30 Kg	480x670x1510
AEP-038C	2.5	1Door/16Trays	44 Kg	480x670x1780
AEP-038D	2.8	2Door/24Trays	62 Kg	960x670x1510

Specification	2 Layers
Power	7.3 Kw
Voltage	220V
Weight	110 Kg.
Temperature	50~300°C
Dimension	835x1065x815mm

Specification	6 Layers + 1Try/10Try
Power	9.5 Kw
Voltage	380V
Weight	127 Kg.
Temperature	20~300°
Dimension	1000x946x805mm

Preparation & Bakery Machinery Equipment



Planetary for Bakery Mixture

■ Use

A planetary mixer is industrial mixing equipment used to prepare food, chemical, ceramic dough or other types of products, replacing manual labour through a mechanical system that allows us to produce continuously large quantities of dough.

■ Specification:

- Bowl made of stainless steel
- Detachable cylindrical granite roller stone assembly
- Powerful gear driven
- The granite roller stone assembly is fitted with two wipers to ensure 100% grinding in quick time

Model	AEPM-041A	AEPM-041B	AEPM-041C	AEPM-041D	AEPM-041E	AEPM-041F
Bowl Cap Ltr.	0.75	10	20	28	38	60
Motor (KW)	0.32	0.6	1.1	1.5	1.5	2.2
Voltage	230V	230V	230V	230V	230V	440V-3P

Potato Peeler

■ Use

Used for peeling potato & other edible roots at restaurant kitchen, industrial canteen.

■ Specification:

- The body of machine made of stainless steel
- Strong emery bonding for peeling.
- Operations with running water supply
- Drain outlet provided for waste disposal

Model	AEPP-042A	AEPP-042B	AEPP-042C	AEPP-042D
Capacity Kgs.	10	20	30	40
Motor (KW)	0.5(0.4Kw)	1.0(0.75Kw)	2.0	2.5
Voltage	230V	230V	440V	440V



Vegetable Cutting Machine

■ Use

Used for cutting & slicing fresh & cooked vegetables & fruits at Restaurant kitchen, industrial canteen & public catering.

■ Specification:

- The body of machine made of stainless steel
- Comprehensive range of 7 discs for slicing, ripple cutting, grating and cutting into sticks, strips or with optimum.
- High-speed electric motor for continuous
- Robust durable design

Model	AEVCM-043A
Capacity Kgs.	150-250 Kg/Hr
Motor (KW)	1.0(0.75Kw)
Voltage	230V

Preparation & Bakery Machinery Equipment



Dough Kneading

■ Use

Used for Mixing flour / Aata in Restaurant kitchen, Industrial canteen.

■ Specification:

- Bowl & Kneading Shaft made of stainless Steel
- Rugged MS Construction - Painted.
- Powerful gear driven
- Robust durable design

Model	AEDK-044A	AEDK-044B	AEDK-044C
Bowl Cap Ltr.	10	20	30
Motor (KW)	1.00 (0.75kw)	1.5	1.5
Voltage	230V	230/440V	440V

Pulveriser

■ Use

Used for Grinding wet pulses, red chillies, turmeric & Black pepper & Gravy etc.

■ Specification:

- Made of stainless Steel
- Five number of different size hole screen for getting different mesh powders.
- Robust durable design.

Model	AEP-045A	AEP-045B	AEP-045C	AEP-045D
Motor HP (KW)	1 HP (0.75KW)	2 HP (1.5KW)	3 HP (2.2KW)	5 HP (3.8KW)
Capacity Kgs.	10/15 Kgs/Hrs.	30/35 Kgs/Hrs.	50/60 Kgs/Hrs.	75/80 Kgs/Hrs.
Voltage	230V	230V	230V	440V



Wet Masala Grinder

■ Use

Grinders are used widely for grinding various Indian spices & Rava for Dosa

■ Specification:

- Bowl made for stainless Steel
 - Detachable Cylindrical Granite Roller Stone Assembly
 - Powerful gear driven
- The Granite Roller Stone Assembly is fitted with two Wiper to ensure 100% grinding in quick time.

Model	AEWG-046A	AEWG-046B	AEWG-046C	AEWG-046D
Motor HP (KW)	1.0	1.0	1.0	1.5
Capacity Kgs.	5	10	15	20
Voltage	230V	230V	230V	230/440V



Preparation & Bakery Equipment



Dough Sheeter

■ Specification:

- Equipped with safety cover, these machines run smoothly, safely and reliably.
- They have features including robust structures, good-looking design, reliable performance and high automation.
- They are especially suitable for pressing dough.

Model	Power (KW)	Dimension (MM)	Expanded (mm)	Stowed (mm)	Roller Range	Net Weight (kg)
AEDS-047A	0.4	780x1690x590	1690/590	780/660	1~35	110
AEDS-047B	0.55	910x1890x590	1890/590	910/740	1~35	130
AEDS-047C	0.4	760x2000x1040	2000/1040	620/1310	1~35	170
AEDS-047D	0.55	900x2700x1100	2700/1100	700/1620	1~40	248
AEDS-047E	1.1	1000x3100x1100	3100/1100	720/1720	1~40	288



Bread Slicer

■ Specification:

- The machine is reliable running, easy operation and high efficiency. It is ideal machine to slice bread and CKES.

Model	Power (KW)	Voltage	Bread Thickness	Nos. of Slices	Net Weight	Dimension (mm)
AEBS-048	0.25	220V	12mm	31	59	650x660x760



Electric Plate Warmer

■ Use

Keep dishes primed ready for use with this range of plate warmers, designed to archive and maintain optimum temperatures. Safely heating and holding plates, professional service and optimum results are guaranteed. Serving food on warm plates will keep dishes at their best for longer period than if served on cold crockery, ensuring an overall better dining experience for guests.

Item Code	Dimension	Capacity	
AEPW-049A	18"x19"x30"	50x1 Plate= 50 Plate	Single Holder Cart
AEPW-049B	18"x36"x30"	50x2 Plate= 100 Plate	Double Holder Cart

Pre-Preparation Equipment



Meat Mincer

■ Use

The working parts (i.e. Knife, Worm Rod and Discharge Plate) of the machine are completely made of stainless steel.

Item Code	Power (KW)	Efficiency (kg/Hr)	Dimension (mm)
AEMM-050A	0.37	80	410x265x410
AEMM-050B	0.65	120	450x295x450
AEMM-050C	1.1	220	490x310x500
AEMM-050D	1.5	320	735x415x620
AEMM-050E	3	600	860x550x960



Warming Showcase

■ Specification:

- Elegant shape and wide application.
- Constant temperature and humidity preservation.
- Safe & easy to operate.

Item Code	Power (KW)	Temperature	Dimension (mm)
AEWS-051A	0.5	30~80	380x460x600
AEWS-051B	0.8	30~80	660x460x600
AEWS-051C	1.2	30~80	950x500x620
AEWS-051D	1.5	30~80	710x520x660
AEWS-051E	1.8	30~80	950x520x660
AEWS-051F	2.0	30~80	1250x500x660
AEWS-051G	1.0	30~80	420x500x610
AEWS-051H	1.5	30~80	710x500x610
AEWS-051I	1.8	30~80	940x500x610



High Speed Blender

■ Specification:

- Commercial motors can run over 9 Hrs. without stopping.
- SS blending axis and jug.
- For thick milkshakes, cocktails and mocktails.

Item Code	Power (KW)	Capacity (Ltr.)	RPM
AETM-800AQ	0.80	1.5	25000
AETM-800	1.5	2.0	35000

Display Counter



AWBM-053



AEHC-054




AEHC-055




AEHC-056



AEHC-057



AEMBM-058



AEHC-059



AEHC-060



AEHC-061

Display Counter

KEPL-062



KEPL-063



KEPL-064



KEPL-065



KEPL-066



KEPL-067



KEPL-068



KEPL-069



KEPL-070



Dish Washing Equipment

Undercounter Glass Dishwasher



AEGD -071

Undercounter Dish Dishwasher



AEGD-072

Hood Type Dish Washer



AEDW-073



Conveyor / Rack Type Dishwasher Machine



AEDM-074

Work Table & Trolley



Work Table with 2 U.S.

Item Code	Unit Size
AEWT-075A	36"x24"x34"+6"
AEWT-075B	48"x24"x34"+6"
AEWT-075C	60"x24"x34"+6"
AEWT-075D	70"x24"x34"+6"




Pick-up / Work

Item Code	Unit Size
AEW-076A	36"x24"x34"+18"+12"
AEW-076B	48"x24"x34"+18"+12"
AEW-076C	60"x24"x34"+18"+12"
AEW-076D	70"x24"x34"+18"+12"



Three Side Covering with 2 U.S.

Item Code	Unit Size
AETSC-077A	36"x24"x34"+6"
AETSC-077B	48"x24"x34"+6"
AETSC-077C	60"x24"x34"+6"
AETSC-077D	70"x24"x34"+6"



Dining Table with Seater

Model	No. of U.S.	Unit Size
AETWS-078A	4	48"x30"x30"
AETWS-078B	6	72"x30"x30"
AETWS-078C	8	96"x30"x30"



Work Table with Cross Bracing

Model	Unit Size
KEPL-079A	36"x24"x34"+6"
KEPL-079B	48"x24"x34"+6"
KEPL-079C	60"x24"x34"+6"
KEPL-079D	72"x24"x34"+6"



Water Cooler

■ **Specification:**

Elegant design for Restaurant, School, Canteen etc.
Stainless steel AISI 304 internal & external body.
50mm thick polyurethane insulation for better energy efficiency
Independent on/off compressor switch
Static cooling technology with thermostat

Model	Unit Size	Storage Capacity	Power Consum.
KEPL-080A	22"x22"x48"	80 Ltr.	430 W
KEPL-080B	24"x24"x56"	100 Ltr.	680 W
KEPL-080C	24"x24"x60"	150 Ltr.	1300 W
KEPL-080D	28"x28"x65"	200 Ltr.	1900 W
KEPL-080E	32"x32"x65"	250 Ltr.	2100 W

Work Table & Trolley



Work Counter

Model	Unit Size
AEWC-081A	36"x24"x34"+6"
AEWC-081B	45"x24"x34"+6"
AEWC-081C	60"x24"x34"+6"
AEWC-081D	72"x24"x34"+6"



Sink with Work Table

Model	No. of U.S.	Unit Size
AESSW-082A	1	24"x24"x34"+6"
AESSW-082B	1	36"x24"x34"+6"
AESSW-082C	2	45"x24"x34"+6"
AESSW-082D	2	60"x24"x34"+6"
AESSW-082E	2	72"x24"x34"+6"
AESSW-082F	2	84"x24"x34"+6"



Platform Trolley

Model	Unit Size
AEPT-083A	24"x30"x36"
AEPT-083B	30"x36"x36"
AEPT-083C	36"x45"x36"



Single Sink Unit

Model	Unit Size	Sink Size
AESSU-084A	24"x24"x34"+6"	18"x18"x10"
AESSU-084B	30"x30"x34"+6"	20"x20"x10"



Two Sink Unit

Model	Sink Size	Unit Size
AESU-085A	45"x24"x34"+6"	18"x18"x10"
AESU-085B	48"x30"x34"+6"	20"x20"x10"



Three Sink Unit

Model	Sink Size	Unit Size
AESU-086A	60"x24"x34"+6"	18"x18"x10"
AESU-086B	60"x30"x34"+6"	20"x20"x10"

Work Table & Trolley



Pot Rack

Model	No. of Shelves	Unit Size
AEPR-087A	3,4	48"x30"x66"/72"
AEPR-087B	3,4	54"x30"x66"/72"
AEPR-087C	3,4	60"x30"x66"/72"



Utility Trolley

Model	Unit Size
AEUT-088A	24"x30"x36"
AEUT-088B	24"x36"x36"



Wall Shelf



AEVR-090

Two Door Vertical Refrigerators

■ Specification:

- 60mm thick polyurethane insulation for better energy efficiency.
- Stainless steel AISI 304 internal & external panels including back panel.
- Large storage area suitable to contain 2/1GN pan & 6 Nos. adjustable S.S. wire mesh shelves.
- Refrigerated model have operating temperature that can be adjusted -2 to 10 °C.
- Self Closing Doors with magnetic Gasket.
- Auto defrosting and auto evaporation of condensation water.
- Digital controller allows for temperature & parameter setting.
- Performance at ambient temperature of + 43 °C.
- Forced air circulation for rapid cooling & an even temperature distribution.

■ Technical Specification:

- Supply Voltage: 230V/1ph/50Hz (475 Watts)
- Ltr. Capacity: 600Ltr.
- External Dimension: 721x800x2100mm
- Refrigerant Type: R134a (300g)
- Operating Temp Min: -2 °C.
- Operating Temp Max.: 10 °C.
- Operating Mode: Ventilated
- Cooling Unit: Inbuilt
- Defrost type: Electric



AEVR-091

Four Door Vertical Refrigerators

■ Specification:

- 60mm thick polyurethane insulation for better energy efficiency.
- Stainless steel AISI 304 internal & external panels including back panel.
- Large storage area suitable to contain 2/1GN pan & 6 Nos. adjustable S.S. wire mesh shelves.
- Refrigerated model have operating temperature that can be adjusted -2 to 10 °C.
- Self Closing Doors with magnetic Gasket.
- Auto defrosting and auto evaporation of condensation water.
- Digital controller allows for temperature & parameter setting.
- Performance at ambient temperature of + 43 °C.
- Forced air circulation for rapid cooling & an even temperature distribution.

Refrigeration Equipment



Two / Three Door Under Counter Chiller / Freezer

Model	Power (Kw)	Voltage (V)	Capacity (Ltr.)	Net Weight (kg)	Dimension (mm)
AEUCC-092A	0.32	220	320	92	1500x800x810
AEUCC-092B	0.49	220	420	115	1800x800x810
AEUCC-092C	0.53	220	520	125	1800x625x865

■ Specification:

- Stainlesssteelframeworkconstruction.
- ElectronicthermostatandLEDdigitaldisplayforaccuracyandeasyreading.
- Availableasrefrigerators&freezers.



Two / Three Door Balad Under Counter with Pizza Table

Model	Power (Kw)	Voltage (V)	Capacity (Ltr.)	Net Weight (kg)	Dimension (mm)
AEBUC-093A	0.32	220	320	92	1200x800x810
AEBUC-093B	0.49	220	420	115	1800x800x810

■ Specification:

- Stainlesssteelframeworkconstruction.
- ElectronicthermostatandLEDdigitaldisplayforaccuracyandeasyreading.
- Availableasrefrigerators&freezers.




Single / Two Door Upright Showcase / Visi Cooler

Model	Voltage (V)	Capacity (Ltr.)	Cabinet Temp.(°C)	Net Weight (kg)	Diamention (mm)
AEUS-094A	220	300	0~10	68	620x595x1921
AEUS-094B	220	430	0~10	85	620x690x2070
AEUS-094C	220	400	0~10	129	900x630x1856
AEUS-094D	220	600	0~10	140	900x725x2030
AEUS-094E	220	1000	0~10	177	1200x730x2165
AEUS-094F	220	1000	0~10	177	1200x730x2165

■ Specification:

- Directcoolingsystem,withfantoeveninsidecoldair.
- Doublelayersstandardglassdoorforanticondensation.
- 1innercabinettlight,onecanopylight.
- Drainautoevaporationsystem.

Utility Equipment



Cold Coffin
AECC-096



Stainless Steel Cupboard
AESSC-097



Hot Food Service Trolley
AEFST-098



Wall Mounted Hand Wash Sink
AEWMH-099



Stainless Steel Stool
AESSS-100



Cold Coffin

Kitchen Ventilation Equipments



Blower Fan Unit
AEBFU-101




Blower Fan
AEBF-102



Wet/Dry Scrubber Unit
AEDSU-103



Fresh Air Cooler
AEFAC-104




GI / SS Duct Line
AEDL-105



LPG Manifold System
AEMS-106



LPG Gas Bank
AEGB-107



LPG Pipeline Designing & Installation



*Note : Illustration and technical data in the catalogues are for information only and not legally binding. Actual products may dif

